

Formstahlrohre
Tubes en acier

Vierkant-Stahlrohre, geschweisst, kaltgewalzt, EN 10305-5/DIN 2395


Tubes carrés en acier, soudés, laminés à froid, EN 10305-5/DIN 2395



a	b	t	L	Gewicht [poids] kg/m	Preis CHF/M
mm	mm	mm	m		
12	12	1.5	6.0	0.49	3.98
15	15	1.5	6.0	0.63	3.89
15	15	2.0	6.0	0.81	5.18
16	16	2.0	6.0	0.88	7.31
20	20	1.5	6.0	0.87	4.99
20	20	2.0	6.0	1.12	6.05
20	20	2.5	6.0	1.37	8.14
20	20	3.0	6.0	1.60	9.11
22	22	2.0	6.0	1.26	8.79
25	25	1.5	6.0	1.10	6.57
25	25	2.0	6.0	1.44	7.53
25	25	2.5	6.0	1.77	10.08
25	25	3.0	6.0	2.07	11.14
30	30	1.5	6.0	1.34	7.12
30	30	2.0	6.0	1.76	8.93
30	30	2.5	6.0	2.16	11.09
30	30	3.0	6.0	2.39	11.97
35	35	1.5	6.0	1.58	9.72
35	35	2.0	6.0	2.07	10.59
35	35	2.5	6.0	2.54	14.10
35	35	3.0	6.0	2.86	15.53
40	40	1.5	6.0	1.81	10.08
40	40	2.0	6.0	2.39	11.75
40	40	2.5	6.0	2.93	14.65
40	40	3.0	6.0	3.33	16.04
40	40	4.0	6.0	4.25	23.30
45	45	2.0	6.0	2.69	15.85
45	45	3.0	6.0	3.80	20.81
50	50	2.0	6.0	3.01	15.07
50	50	2.5	6.0	3.73	20.29
50	50	3.0	6.0	4.28	20.71
50	50	4.0	6.0	5.51	29.44
50	50	5.0	6.0	7.07	36.10
55	55	2.0	6.0	3.33	24.51
60	60	2.0	6.0	3.64	18.35
60	60	2.5	6.0	4.50	26.39
60	60	3.0	6.0	5.22	25.25
60	60	4.0	6.0	6.76	35.13

Weitere Abmessungen, Güten und Ausführungen auf Anfrage

autres dimensions et qualités sur demande



Vierkant-Stahlrohre, geschweisst, kaltgewalzt, EN 10305-5/DIN 2395

Tubes carrés en acier, soudés, laminés à froid, EN 10305-5/DIN 2395

(Fortsetzung)

(continuation)

a	b	t	L	Gewicht [poids] kg/m	Preis CHF/M
mm	mm	mm	m		
60	60	5.0	6.0	8.64	44.37
70	70	3.0	6.0	6.16	38.59
70	70	4.0	6.0	8.02	50.42
80	80	2.0	6.0	4.89	28.84
80	80	3.0	6.0	7.10	44.92
80	80	4.0	6.0	9.28	56.48
80	80	5.0	6.0	11.78	60.22
100	100	3.0	6.0	8.99	43.55
100	100	4.0	6.0	11.88	61.38
100	100	5.0	6.0	14.05	62.67

Weitere Abmessungen, Güten und Ausführungen auf Anfrage

autres dimensions et qualités sur demande

Rechteck-Stahlrohre, geschweisst, kaltgewalzt, EN 10305-5/DIN 2395

Tubes rectangulaires en acier, soudés, laminés à froid, EN 10305-5/DIN 2395



a	b	t	L	Gewicht [poids] kg/m	Preis CHF/M
mm	mm	mm	m		
20	10	1.5	6.0	0.63	4.25
20	10	2.0	6.0	0.81	5.28
20	15	1.5	6.0	0.75	4.99
20	15	2.0	6.0	0.97	6.29
25	12	2.0	6.0	1.04	8.79
25	15	1.5	6.0	0.87	5.59
25	15	2.0	6.0	1.12	6.43
25	20	2.0	6.0	1.29	8.08
30	10	2.0	6.0	1.12	6.98
30	15	1.5	6.0	0.99	6.38
30	15	2.0	6.0	1.29	7.45
30	20	1.5	6.0	1.11	6.57
30	20	2.0	6.0	1.44	7.53
30	20	2.5	6.0	1.77	10.17
30	25	2.0	6.0	1.60	10.91
35	15	2.0	6.0	1.44	8.42
35	20	2.0	6.0	1.59	10.08
35	25	2.0	6.0	1.75	10.22
40	10	2.0	6.0	1.44	8.79
40	15	1.5	6.0	1.23	8.05
40	15	2.0	6.0	1.60	9.72
40	20	1.5	6.0	1.34	7.68
40	20	2.0	6.0	1.76	8.93
40	20	2.5	6.0	2.16	14.43
40	20	3.0	6.0	2.39	14.33
40	25	1.5	6.0	1.46	10.27
40	25	2.0	6.0	1.91	11.04
40	25	3.0	6.0	2.63	16.18
40	30	2.0	6.0	2.07	11.37
40	30	2.5	6.0	2.54	16.69
40	30	3.0	6.0	2.86	16.82
45	20	2.0	6.0	1.91	10.59
45	25	2.0	6.0	2.07	12.52
45	30	2.0	6.0	2.23	17.48
50	15	2.0	6.0	1.91	11.83
50	20	2.0	6.0	2.07	11.42
50	20	3.0	6.0	2.86	17.38
50	25	2.0	6.0	2.22	12.30

Weitere Abmessungen, Güten und Ausführungen auf Anfrage

autres dimensions et qualités sur demande



Rechteck-Stahlrohre, geschweisst, kaltgewalzt, EN 10305-5/DIN 2395

Tubes rectangulaires en acier, soudés, laminés à froid, EN 10305-5/DIN 2395

(Fortsetzung)

(continuation)

a	b	t	L	Gewicht [poids] kg/m	Preis CHF/M
mm	mm	mm	m		
50	25	2.5	6.0	2.75	17.94
50	25	3.0	6.0	3.10	18.22
50	30	2.0	6.0	2.39	12.76
50	30	2.5	6.0	2.93	15.72
50	30	3.0	6.0	3.33	17.48
50	35	2.0	6.0	2.54	17.15
50	35	3.0	6.0	3.72	26.16
50	40	2.0	6.0	2.69	15.72
50	40	3.0	6.0	3.80	21.73
55	34	2.0	6.0	2.67	18.54
60	20	2.0	6.0	2.39	14.43
60	20	3.0	6.0	3.33	20.76
60	25	2.0	6.0	2.54	16.27
60	30	2.0	6.0	2.69	13.59
60	30	2.5	6.0	3.34	19.23
60	30	3.0	6.0	3.80	21.58
60	30	4.0	6.0	4.88	33.38
60	40	2.0	6.0	3.01	15.16
60	40	2.5	6.0	3.73	21.63
60	40	3.0	6.0	4.28	22.47
60	40	4.0	6.0	5.51	34.94
60	50	2.0	6.0	3.33	20.43
60	50	3.0	6.0	4.75	31.06
70	30	2.0	6.0	3.01	17.75
70	30	3.0	6.0	4.43	27.69
70	40	2.0	6.0	3.34	19.74
70	40	3.0	6.0	4.75	30.18
70	50	2.0	6.0	3.64	22.56
70	50	3.0	6.0	5.37	34.43
70	50	4.0	6.0	6.70	46.78
80	20	2.0	6.0	3.01	17.99
80	30	2.0	6.0	3.32	20.99
80	30	3.0	6.0	4.75	37.53
80	40	2.0	6.0	3.64	19.88
80	40	2.5	6.0	4.50	26.16
80	40	3.0	6.0	5.22	29.08
80	40	4.0	6.0	6.76	41.36
80	50	2.0	6.0	3.95	22.70

Weitere Abmessungen, Güten und Ausführungen auf Anfrage

autres dimensions et qualités sur demande

Rechteck-Stahlrohre, geschweisst, kaltgewalzt, EN 10305-5/DIN 2395

Tubes rectangulaires en acier, soudés, laminés à froid, EN 10305-5/DIN 2395



(Fortsetzung)

(continuation)

a	b	t	L	Gewicht [poids] kg/m	Preis CHF/M
mm	mm	mm	m		
80	50	3.0	6.0	5.69	32.64
80	50	4.0	6.0	7.39	46.87
80	50	5.0	6.0	8.91	53.75
80	55	1.5	6.0	3.11	24.40
80	60	3.0	6.0	6.16	35.50
80	60	4.0	6.0	8.02	50.20
90	30	2.0	6.0	3.64	27.78
100	34	2.0	6.0	4.08	24.68
100	40	2.0	6.0	4.26	23.39
100	40	3.0	6.0	6.16	37.16
100	40	4.0	6.0	8.02	45.21
100	50	2.0	6.0	4.58	26.86
100	50	3.0	6.0	6.63	37.16
100	50	4.0	6.0	8.65	48.07
100	60	3.0	6.0	7.10	37.35
100	60	4.0	6.0	9.28	48.44
100	60	5.0	6.0	11.10	60.18
100	80	4.0	6.0	10.50	58.89
120	40	2.5	6.0	6.07	44.29
120	40	3.0	6.0	7.10	40.59
120	60	3.0	6.0	8.04	42.53
120	80	4.0	6.0	11.74	72.20
140	40	2.5	6.0	6.59	41.65
150	50	3.0	6.0	9.40	56.89

Weitere Abmessungen, Güten und Ausführungen auf Anfrage

autres dimensions et qualités sur demande




Flachoval-Stahlrohre, geschweisst, kaltgewalzt
 Tubes ovales-plats en acier, soudés, laminés à froid

a	b	t	L	Gewicht [poids] kg/m	Preis CHF/M
mm	mm	mm	m		
20	10	1.5	6.0	0.55	7.77
25	12	1.5	6.0	0.69	11.64
25	15	2.0	6.0	0.99	14.67
30	10	1.5	6.0	0.78	11.02
30	15	1.5	6.0	0.85	12.02
30	15	2.0	6.0	1.11	13.86
35	15	2.0	6.0	1.27	15.90
35	20	2.0	6.0	1.36	18.49
40	14	1.5	6.0	1.07	10.57
40	15	2.0	6.0	1.43	21.19
40	20	1.5	6.0	1.15	17.18
40	20	2.0	6.0	1.52	17.49
50	15	2.0	6.0	1.74	22.04
50	20	2.0	6.0	1.83	21.11
50	25	2.0	6.0	1.92	26.19
55	25	2.0	6.0	2.08	26.01
60	20	2.0	6.0	2.14	29.27
60	25	2.0	6.0	2.23	25.58
60	30	2.0	6.0	2.32	29.22
60	30	2.5	6.0	2.87	37.72
70	11	1.2	6.0	1.50	19.97
80	20	2.0	6.0	2.77	59.53
100	25	2.0	6.0	3.50	42.14

Weitere Abmessungen, Güten und Ausführungen auf Anfrage

autres dimensions et qualités sur demande


Rundoval-Stahlrohre, geschweisst, kaltgewalzt
 Tubes ovales ronds en acier, soudés, laminés à froid



a	b	t	L	Gewicht [poids] kg/m	Preis CHF/M
mm	mm	mm	m		
33	22	2.0	6.0	1.26	23.11

Weitere Abmessungen, Güten und Ausführungen auf Anfrage

autres dimensions et qualités sur demande



SWi	SWa	t	L	Gewicht [poids] kg/m	Preis CHF/M
mm	mm	mm	m		
8	12	2.0	6.0	0.54	25.52
9	13	2.0	6.0	0.60	18.55
10	14	2.0	6.0	0.65	30.51
11	15	2.0	6.0	0.71	39.19
13	17	2.0	6.0	0.82	45.30
14	18	2.0	6.0	0.87	39.08
16	20	2.0	6.0	0.98	54.11
17	22	2.5	6.0	1.33	70.25
18	23	2.5	6.0	1.39	45.36
19	24	2.5	6.0	1.46	77.53
21	26	2.5	6.0	1.60	74.32
22	27	2.5	6.0	1.67	71.98
23	28	2.5	6.0	1.73	49.79
24	29	2.5	6.0	1.80	77.65
25	30	2.5	6.0	1.87	80.61
27	32	2.5	6.0	2.01	86.34
30	35	2.5	6.0	2.21	101.69
32	38	3.0	6.0	2.86	121.53
34	40	3.0	6.0	3.05	126.21
36	42	3.0	6.0	3.18	144.58
38	44	3.0	6.0	3.38	140.14
40	46	3.0	6.0	3.51	97.75
41	47	3.0	6.0	3.59	100.45
46	54	4.0	6.0	5.44	226.29
50	59	4.5	6.0	6.67	195.48
55	64	4.5	6.0	7.32	203.00
60	69	4.5	6.0	7.89	329.08
70	79	4.5	6.0	9.12	255.01

Weitere Abmessungen, Güten und Ausführungen auf Anfrage
autres dimensions et qualités sur demande